


24/SEVEN[®] LockSafe[®]

LOCK IT. LEAVE IT.



NEW 24/SEVEN[®] LockSafe[®] MAX

Secure Interlocking Modular System with Double-thick
Sponge Base for Maximum Anti-fatigue Support



WEARWELL[®]
PREVENT. PERFORM. COMPETE.

EXPECT MORE FROM YOUR INVESTMENT

AT FIRST

Passive interlocking systems look okay.
They get the job done.

YOU'RE FED UP!

The all too familiar aches
and pains of concrete
return and you decide to
make another investment
in matting.

ALREADY?

Almost immediately, they
start to come apart;
creating trip hazards
AND more work for you!

REPEAT THE CYCLE...

OR

switch to

24/Seven® LockSafe®

?

DECISION TIME.


Everyday is a new struggle with
sloppy passive connections. Finally,
you return to the pains of concrete.

IT'S A DISASTER.

The tiles come apart completely.
You waste time and effort with
fixes that don't work.

Break the Cycle with 24/Seven® LockSafe®

POSITIVELY, ONE OF A KIND!



Positive, flexible connections stay secure to roll up, pick up or move for maintenance!


THE DIFFERENCE IS IN THE POSITIVE, LOCKSAFE® CONNECTIONS.

POSITIVE systems **lock in:**

Both male and female connectors have ridges that lock together and deliver a secure connection in all directions.

WHY IT MATTERS:

The mats don't come apart until you want them to! Lift up, roll up and roll away for removal, cleaning, or maintenance.




PASSIVE systems **lay in:**

Traditional rubber products rely on these systems. The connectors nest; one connector inside the other. This provides only minimal, side-to-side security.

WHY IT MATTERS:

Any upward movement (a misstep, a slight kick, pivoting traffic and, without a doubt, picking the mats up) and the mats come apart. The result is unsightly, trip hazards.



Save time, labor and frustration
with 24/Seven® LockSafe®

NEW! 24/Seven[®] LockSafe[®] MAX



Secure Interlocking System

Maximum Anti-Fatigue

WHERE COMFORT AND PERFORMANCE MEET

NITRICELL SPONGE BASE

The double-thick Nitricell sponge base is a Nitrile composite for exceptional comfort, rebound and long life.

UNDERSIDE

POSITIVE INTERLOCKING TILES

24/SEVEN[®] LockSafe[®] modular rubber mats have a patented Positive Interlock System that “locks in” to keep mats together and prevent mats from coming apart.

24/Seven LockSafe MAX combines Wearwell’s patented LockSafe positive interlocking system with the unbeatable comfort of an anti-fatigue mat. Each 3’x3’ tile features secure, seamless connections and a resilient Nitricell[®] sponge base.

24/Seven LockSafe MAX is the ultimate rubber mat solution for standing workers in large or small work areas.

Choose from Two Surface Styles

These large 3'x3' rubber tiles require no tools for assembly making installation to any configuration quick and easy.



581 - Solid GR

The solid surface is ideal for foot and cart traffic.




583 - Diamond-Plate GR

The Diamond-Plate surface is ideal for high capacity foot traffic and increases traction.

24/Seven® LockSafe® MAX Ramp System



Outside Corner



Female Ramp



Male Ramp



Ramps Available in Black or Yellow

PRODUCT	PART NUMBER	SIZE	COLOR
24/Seven® LockSafe® MAX - Diamond-Plate	583.1x3x3GRBK	3' x 3' (91 cm x 91 cm)	BK/BYL
24/Seven® LockSafe® MAX - Smooth	581.1x3x3GRBK	3' x 3' (91 cm x 91 cm)	BK/BYL
24/Seven® LockSafe® MAX Female Edging	581.EdgingFGRBK/ 581.EdgingFGRYL	1" x 4" x 36" (2.5 cm x 10 cm x 91 cm)	BK/BYL
24/Seven® LockSafe® MAX Male Edging	581.EdgingMGRBK/ 581.EdgingMGRYL	1" x 4" x 36" (2.5 cm x 10 cm x 91 cm)	BK/BYL
24/Seven® LockSafe® MAX Outside Corner	581.CornerGRBK-CS4/ 581.CornerGRYL-CS4	1" x 4" x 4" (2.5 cm x 10 cm x 10 cm)	BK/BYL

Learn more at Wearwell.com/24SevenLockSafe


582

24/Seven® LockSafe® Grade "A"


Grade "A" mats are designed to combat fatigue while addressing specific issues unique to food production environments. 3'x3' interlocking tiles have strong connections and are easy to lift and clean. The proprietary Nitrile compound is GRAS status and is CFIA approved. 24/Seven LockSafe Grade "A" is NFSI certified.



FOOD PRODUCTION & PROCESSING 24/Seven® LockSafe® Grade "A"



Learn more at [Wearwell.com/24SevenLockSafe](https://www.wearwell.com/24SevenLockSafe)



FEATURES & BENEFITS

- 100% anti-microbial rubber for food production and processing
- Meets the ASTM G21 standard for anti-microbial properties
- Knob style under structure for superior drainage and support
- Secure Interlocking Tiles

SIZE	THICKNESS	COLOR	ITEM NUMBER
Tile			
3' x 3' (91cm x 91cm)	5/8" (16mm)	Terra Cotta	582.58x3x3TC
Female Edging			
3" x 36" (7.6cm x 91cm)	5/8" (16mm)	Terra Cotta	582.EdgingFTC
Male Edging			
3" x 36" (7.6cm x 91cm)	5/8" (16mm)	Terra Cotta	582.EdgingMTC
Outside Corner			
3" x 3" (7.6cm x 7.6cm)	5/8" (16mm)	Terra Cotta	582.CornerTC-CS4

Learn more at [Wearwell.com/24SevenLockSafe](https://www.wearwell.com/24SevenLockSafe)

24/Seven® LockSafe®

Ergonomic Flooring



There's a ton of effort that goes into making the right decision, getting the approvals, scheduling the install and getting those mats in place. Your matting program should start paying off right away with higher performance, improved productivity, increased safety and heightened morale.

If other modular mats have let you down - think POSITIVE and choose 24/Seven® LockSafe®!

LOCK IT & LEAVE IT with 24/Seven® LockSafe®

GR COMPOUND

The GR compound is best suited for areas with water and dry debris.

NBR COMPOUND

The NBR compound is best suited for areas with water and dry debris, plus petroleum based products.

HIGH TRACTION OPTION

Available with GRITSHIELD™ for optimum slip prevention.

QUICK INSTALLATION FOR LARGE AREAS

Large 3' x 3' (91m x .91m) mats cover large areas quickly and can be easily assembled to fit any configuration.

SIMPLE RAMP SYSTEM

Separate ramps and corners minimizes cutting and makes installation faster and easier!



Learn more at Wearwell.com/24SevenLockSafe



POSITIVE INTERLOCKING TILES WITH ESD PROTECTION!

EOS/ESD S7.1: 1x10⁶-1x10⁹ (meets ANSI/ESD 20.20 requirements)

Static electricity produces damaging sparks that can ruin and destroy expensive equipment. 24/Seven[®] ESD LockSafe[®] eliminates static, while providing an ergonomic work surface for your team to perform.

Made to cover large areas quickly, the 770 ESD can be placed directly atop a conductive coating or have snaps for areas without conductive floors. The 'positive interlock' technology allows the rubber tiles to lock-in, while remaining easy to 'unzip' for reconfiguration. The LockSafe[®] connection also allows the assembled mats to be rolled up, making cleaning a breeze.



24/Seven[®] LockSafe[®] ESD is available in Solid or Open.


NOTE: Must be used over conductive flooring and users must wear a heel grounder (793-Heel)"

COMPOUND	PRODUCT	PART NUMBER	SIZE	COLOR
GR	24/Seven [®] LockSafe [®] ESD - Open Tiles	772.58x3x3GRBK	5/8" thick, 3' x 3' (91cm x 91cm)	BK
GR	24/Seven [®] LockSafe [®] ESD - Solid Tiles	770.58x3x3GRBK	5/8" thick, 3' x 3' (91cm x 91cm)	BK
GR	24/Seven [®] LockSafe [®] Female Edging GR	578.EdgingFGRBK	5/8" x 3" x 36" (7.6cm x 91cm)	BK
GR	24/Seven [®] LockSafe [®] Female Edging GR	578.EdgingFGRYL	5/8" x 3" x 36" (7.6cm x 91cm)	YL
GR	24/Seven [®] LockSafe [®] Male Edging GR	578.EdgingMGRBK	5/8" x 3" x 36" (7.6cm x 91cm)	BK
GR	24/Seven [®] LockSafe [®] Male Edging GR	578.EdgingMGRYL	5/8" x 3" x 36" (7.6cm x 91cm)	YL
GR	24/Seven [®] LockSafe [®] Corner Ramp GR	578.CornerGRYL-CS4	3" x 3" (7.6cm x 7.6cm)	YL
GR	24/Seven [®] LockSafe [®] Corner Ramp GR	578.CornerGRBK-CS4	3" x 3" (7.6cm x 7.6cm)	BK


Learn more at Wearwell.com/24SevenLockSafe

LARGER, STANDING & WALKING WORK AREAS

SHOWN WITH RAMPS



SHOWN WITHOUT RAMPS




24/Seven® LockSafe® Styles

Available in both solid and drainage
GRITSHIELD™ is available for both styles for extra traction.

Choose your compound based on your environment

- NBR** - Nitrile Rubber for areas with petroleum based fluids
- GR** - Grease Resistant, natural rubber for wet, dry or greasy areas




Ramps are available in black or yellow.

COMPOUND	PRODUCT	PART NUMBER	SIZE	COLOR
TILES				
GR	24/Seven® LockSafe® Solid	577.58x3x3GR	3' x 3' (91cm x 91cm)	BK
NBR	24/Seven® LockSafe® Solid	577.58x3x3NBR	3' x 3' (91cm x 91cm)	BK
GR	24/Seven® LockSafe® Drainage	578.58x3x3GR	3' x 3' (91cm x 91cm)	BK
NBR	24/Seven® LockSafe® Drainage	578.58x3x3NBR	3' x 3' (91cm x 91cm)	BK
NBR	24/Seven® LockSafe® Solid w/ GRITSHIELD™	584.58x3x3NBR	3' x 3' (91cm x 91cm)	BK
NBR	24/Seven® LockSafe® Drainage w/ GRITSHIELD™	586.58x3x3NBR	3' x 3' (91cm x 91cm)	BK
RAMPS AND CORNERS				
GR	24/Seven® LockSafe® GR Ramps - Female	578.EdgingFGR	3" x 36" (7.5cm x 90cm)	BK, YL
GR	24/Seven® LockSafe® GR Ramps - Male	578.EdgingMGR	3" x 36" (7.5cm x 90cm)	BK, YL
GR	24/Seven® LockSafe® GR Ramps Outside Corner	578.CornerGR	3" x 3" (7.5cm x 7.5cm)	BK, YL
NBR	24/Seven® LockSafe® NBR Ramps - Female	578.EdgingFNBR	3" x 36" (7.5cm x 90cm)	BK, YL
NBR	24/Seven® LockSafe® NBR Ramps - Male	578.EdgingMNBR	3" x 36" (7.5cm x 90cm)	BK, YL
NBR	24/Seven® LockSafe® NBR Ramps Outside Corner	578.CornerNBR	3" x 3" (7.5cm x 7.5cm)	BK, YL

SMALLER, STANDING WORK AREAS

COLOR OPTIONS IN GR COMPOUND



WET



DRY

COLOR OPTIONS IN NBR COMPOUND



OILY

CHOOSE YOUR COMPOUND BASED ON YOUR ENVIRONMENT

NBR - Nitrile Rubber for areas with petroleum based fluids

GR - Grease Resistant for wet, dry or greasy areas

COMPOUND	PRODUCT	PART NUMBER	SIZE	COLOR
GR	24/Seven® WORKSTATION Drainage w/Yellow Ramp	588.58X2X3GRBYL	2' x 3' (61cm x 91cm)	BK/YL
GR	24/Seven® WORKSTATION Drainage w/Black Ramp	588.58X2X3GRBK	2' x 3' (61cm x 91cm)	BK/BK
GR	24/Seven® WORKSTATION Drainage w/Yellow Ramp	588.58X3X4GRBYL	3' x 4' (91cm x 120cm)	BK/YL
GR	24/Seven® WORKSTATION Drainage w/Black Ramp	588.58X3X4GRBK	3' x 4' (91cm x 120cm)	BK/BK
GR	24/Seven® WORKSTATION Drainage w/Yellow Ramp	588.58X3X5GRBYL	3' x 5' (91cm x 151cm)	BK/YL
GR	24/Seven® WORKSTATION Drainage w/Black Ramp	588.58X3X5GRBK	3' x 5' (91cm x 151cm)	BK/BK
NBR	24/Seven® WORKSTATION Drainage w/Yellow Ramp	588.58X2X3NBRBYL	2' x 3' (61cm x 91cm)	BK/YL
NBR	24/Seven® WORKSTATION Drainage w/Yellow Ramp	588.58X3X4NBRBYL	2' x 3' (61cm x 91cm)	BK/YL
NBR	24/Seven® WORKSTATION Drainage w/Yellow Ramp	588.58X3X5NBRBYL	3' x 5' (91cm x 151cm)	BK/YL

Learn more at Wearwell.com/24SevenLockSafe

SIMPLE GAME-WINNING STRATEGY



Even the best coaches are faced with challenges. You don't have to go it alone! Tackle them with one of our global team experts. Using state of the art tools, they'll come to your facility, assess your areas of concern and create a game plan specific to your goals, initiatives and budget.

The Wearwell Site-Survey is Free of Charge

This service is valued at \$2,000, but we provide it at no charge with confidence we will earn your business.

Backed by 65 Years of Expertise

You could purchase competitor products, but we are confident you won't find any that can compare to the quality and value of a **Wearwell product**. We are the industry experts

Your Team, Your Plan

You can prioritize based on your time-line and budget.

Work with Your Current Distributors

With our large network of top notch distributors, purchasing Wearwell flooring and matting is simple and convenient.



WEARWELL®

For more information on Wearwell 24/SEVEN® LockSafe® Flooring or additional interlocking options, check out our website @ Wearwell.com

NORTH AMERICA

Wearwell, LLC (Headquarters)
Phone: 615.254.8381
or 1.800.264.3030
info@wearwell.com
wearwell.com

MEXICO
wearwell.com/mx
CANADA
wearwell.com/ca

EUROPE

Wearwell Europe LTD
Phone: 44 1525 307271
info@wearwell-europe.co.uk

UK & IRELAND
wearwell.com/uk
FRANCE
wearwell.com/fr
GERMANY
wearwell.com/de