




**TAKE PERFORMANCE AND ERGONOMICS
TO A NEW LEVEL**




SUCCESS STARTS AT THE GROUND LEVEL



DESIGN YOUR FOUNDATION PLATFORM IN 3 SIMPLE STEPS



1 TILES




2 HEIGHT

3 LENGTH

4" - 12" STOCK HEIGHTS
CUSTOM HEIGHTS AVAILABLE UP TO 36"



THE FOUNDATION PLATFORM SYSTEM



SAVE TIME

FOUNDATION is a modular platform system engineered to deliver all the strength and stability of traditional platforms, but in a fraction of the time. Time is money! From start to finish, FOUNDATION is hassle-free. Spend less time planning, budgeting, purchasing and installing!



REDUCE COSTS

FOUNDATION platforms are an economical choice vs. other homegrown methods for designing and installing platforms. And, it is so versatile that it can easily be disassembled and reconfigured when needs change. Simple design. Simple installation. Simple maintenance. That adds up to money in the bank.



STAY GREEN

FOUNDATION platform tiles are manufactured using 100% post-consumer Polypropylene and the aluminum frame is 100% recyclable. All manufacturing of FOUNDATION is in the USA reducing the environmental impact of cross continental emissions. Plus, as needs change, FOUNDATION platforms can be reconfigured over and over again.



STOP INJURIES

FOUNDATION platforms raise employees to the proper height and help prevent Musculoskeletal Disorders in the workplace. The lightweight but strong design also makes installation and handling less risky. The FOUNDATION system is also compatible with ergonomic matting, allowing for even more anti-fatigue benefits.

DIY TILE



FOUNDATION® DIY Customizable Tile

FOR USE WITH FOUNDATION® MODULAR PLATFORM SYSTEM

- 9" x 18" (23 cm x 46 cm) Dimensions
- 400 lb. (181.5kg) load capacity per tile
- 100% Recycled polypropylene (Post-consumer)
- Aluminum support strips
- Made in the USA

Fully Customizable, Fits Any Workspace

Fitting tight spaces isn't a problem with the FOUNDATION Work Platform System.

Customizable to the inch, this comprehensive, out-of-the-box Platform System eliminates uncertainty, risk and cost associated with aggravating trial-and-error design methods used to build ad hoc platforms.

FOUNDATION's modular design allows any size, shape or configuration of platform to be built out of the box.




Build a Platform in 3 Minutes or Less >>




VISIT [WEARWELL.COM/FOUNDATION](https://www.wearwell.com/foundation) FOR MORE INFORMATION

TILES

PLATFORM KITS & TILES ALTERNATE FOR EASY INSTALLATION & COST SAVINGS




SMOOTH TILE



Single	F01.18x18BK
Case of 4	F01.18x18BK-CS4

OPEN TILE



Single	F02.18x18BK
Case of 4	F02.18x18BK-CS4

DIAMOND-PLATE TILE




Single	F03.18x18BK
Case of 4	F03.18x18BK-CS4

DIY TILE - SMOOTH



Single	F01x9x18BK
--------	------------

DIY TILE - OPEN



Single	F02x9x18BK
--------	------------

DIY TILE - DIAMOND-PLATE




Single	F03x9x18BK
--------	------------

THE POWER ZONE

WHY ELEVATION MATTERS

GET IN THE POWER ZONE


FOUNDATION platforms elevate employees to the work at hand. By reducing excessive and awkward movements, employees work safer, longer without fatigue, pain and discomfort.



GIVE IT 100%

The human body is a mechanical marvel! It's a network of muscles, tendons and bones that work together to perform tasks. The most strength is within the Power Zone.

OPTIMAL PERFORMANCE IS WITHIN YOUR REACH



FOUNDATION PLATFORMS AT WORK



PROVIDE CLEARANCE FOR ROUTING CABLES AND HOSES

In the industrial market pneumatics, hydraulics and electricity are the powers that drive a facility. Most often the hoses and cords that deliver the power are in the same space with employees. In these situations, both are in harm's way. Protect expensive cords and hoses from damage and prevent costly trips and falls by installing FOUNDATION modular work platforms. FOUNDATION platforms provide the clearance needed to route multiple cords and hoses while elevating your workforce safely above the hazards.

NO JOB IS TOO BIG!

MULTI-PERSON WORKSTATIONS

This surprisingly lightweight system provides all the support your team demands and more! Each tile boasts a load rating of 400 lbs. and is manufactured of up to 100% recycled Polypropylene to stand up to a wide range of chemicals.

Custom plywood platforms require expensive man-hours, unpredictable material costs and precious production time.



ELEVATION & ANTI-FATIGUE SOLUTIONS

FOUNDATION Platforms are even better when paired with our anti-fatigue mats!

The ultimate ergonomic solution, designed to decrease musculoskeletal disorders and fatigue while increasing productivity, performance and safety.


WORK PLATFORM KITS - SMOOTH SURFACE TILE



SMOOTH SURFACE

The textured smooth surface adds traction to your platform, and finishes your layout with industrial grade looks. Keeps carts rolling and work flowing safely. This style provides an ideal base for anti-fatigue matting.


18" x 18" Full-Size Tiles



SMOOTH DIY TILE

The DIY Tile enables the length and width of FOUNDATION® platforms to be customized down to the inch.

9" x 18" DIY Tile



THE PROBLEM: "I was constantly tripping over a forklift safety bar when servicing our equipment."

SOLUTION: "FOUNDATION has been the perfect solution. It puts me at a better height and I can work without the worry of tripping. It's light enough to move out of the way for fork lifts."

SMOOTH PLATFORM KITS

**18"
WIDE**

1 CASE OF (4) TILES



2 BEAMS



1 CASES OF (4) TILES




2 LEG/BEAM ASSEMBLIES
2 LEG CROSS BRACES



	18" Length	36" Length	54" Length	72" Length
4" Height	FP1x4x18x18BK	FP1x4x18x36BK	FP1x4x18x54BK	FP1x4x18x72BK
8" Height	FP1x8x18x18BK	FP1x8x18x36BK	FP1x8x18x54BK	FP1x8x18x72BK
12" Height	FP1x12x18x18BK	FP1x12x18x36BK	FP1x12x18x54BK	FP1x12x18x72BK

Custom heights up to 36" available.



4"(10 cm) 8"(20 cm) 12"(30 cm) 18"(46 cm) 36"(92 cm) 54"(137 cm) 72"(183 cm)

SMOOTH PLATFORM KITS

**36"
WIDE**

2 CASES OF (4) TILES



3 BEAMS



2 CASES OF (4) TILES




3 LEG/BEAM ASSEMBLIES
4 LEG CROSS BRACES



	18" Length	36" Length	54" Length	72" Length
4" Height	FP1x4x36x18BK	FP1x4x36x36BK	FP1x4x36x54BK	FP1x4x36x72BK
8" Height	FP1x8x36x18BK	FP1x8x36x36BK	FP1x8x36x54BK	FP1x8x36x72BK
12" Height	FP1x12x36x18BK	FP1x12x36x36BK	FP1x12x36x54BK	FP1x12x36x72BK

Custom heights up to 36" available.





WORK PLATFORM KITS - OPEN SURFACE TILE



OPEN SURFACE

FOUNDATION Open surface allows free passage of fluids, debris and airflow. It not only provides elevation, it also has non-slip cleats that provides additional traction in slippery areas.

18" x 18" Full-Size Tiles



OPEN DIY TILE

The DIY Tile enables the length and width of FOUNDATION® platforms to be customized down to the inch.

9" x 18" DIY Tile

THE PROBLEM: "Before we officially opened, we spent 3 weeks building a custom, 5-inch-tall wood platform. Before we had even moved in, a forklift hit and damaged the plywood platform, delaying us even further."

SOLUTION: "FOUNDATION was much faster to assemble. Instead of 3 weeks, it took more like 3 hours. The aluminum frame is stronger and easier to replace if another fork hits it."

OPEN PLATFORM KITS

**18"
WIDE**

1 CASE OF (4) TILES



2 BEAMS



1 CASES OF (4) TILES



2 LEG/BEAM ASSEMBLIES
2 LEG CROSS BRACES



	18" Length	36" Length	54" Length	72" Length
4" Height	FP2x4x18x18BK	FP2x4x18x36BK	FP2x4x18x54BK	FP2x4x18x72BK
8" Height	FP2x8x18x18BK	FP2x8x18x36BK	FP2x8x18x54BK	FP2x8x18x72BK
12" Height	FP2x12x18x18BK	FP2x12x18x36BK	FP2x12x18x54BK	FP2x12x18x72BK

Custom heights up to 36" available.



4"(10 cm) 8"(20 cm) 12"(30 cm) 18"(46 cm) 36"(92 cm) 54"(137 cm) 72"(183 cm)

OPEN PLATFORM KITS

**36"
WIDE**

2 CASES OF (4) TILES




3 BEAMS



2 CASES OF (4) TILES



3 LEG/BEAM ASSEMBLIES
4 LEG CROSS BRACES



	18" Length	36" Length	54" Length	72" Length
4" Height	FP2x4x36x18BK	FP2x4x36x36BK	FP2x4x36x54BK	FP2x4x36x72BK
8" Height	FP2x8x36x18BK	FP2x8x36x36BK	FP2x8x36x54BK	FP2x8x36x72BK
12" Height	FP2x12x36x18BK	FP2x12x36x36BK	FP2x12x36x54BK	FP2x12x36x72BK

Custom heights up to 36" available.



WORK PLATFORM KITS - DIAMOND-PLATE SURFACE TILE



DIAMOND-PLATE SURFACE

FOUNDATION Diamond-Plate tiles offer more than rugged good looks - they provide undeniable traction! Sure-footed employees make for a safer, more productive team.

18" x 18" Full-Size Tiles



DIAMOND-PLATE DIY TILE

The DIY Tile enables the length and width of FOUNDATION® platforms to be customized down to the inch.

9" x 18" DIY Tile



THE PROBLEM: "It took forever to get a quote on a platform for my employees. Why is it so difficult to get an actual price?"

SOLUTION: "With FOUNDATION I was able to get an exact quote on my platform size including all the parts and pieces."

DIAMOND-PLATE PLATFORM KITS

**18"
WIDE**

1 CASE OF (4) TILES



2 BEAMS



1 CASES OF (4) TILES



2 LEG/BEAM ASSEMBLIES
2 LEG CROSS BRACES



	18" Length	36" Length	54" Length	72" Length
4" Height	FP3x4x18x18BK	FP3x4x18x36BK	FP3x4x18x54BK	FP3x4x18x72BK
8" Height	FP3x8x18x18BK	FP3x8x18x36BK	FP3x8x18x54BK	FP3x8x18x72BK
12" Height	FP3x12x18x18BK	FP3x12x18x36BK	FP3x12x18x54BK	FP3x12x18x72BK



4"(10 cm) 8"(20 cm) 12"(30 cm) 18"(46 cm) 36"(92 cm) 54"(137 cm) 72"(183 cm)

DIAMOND-PLATE PLATFORM KITS

**36"
WIDE**

2 CASES OF (4) TILES




3 BEAMS



2 CASES OF (4) TILES



3 LEG/BEAM ASSEMBLIES
4 LEG CROSS BRACES



	18" Length	36" Length	54" Length	72" Length
4" Height	FP3x4x36x18BK	FP3x4x36x36BK	FP3x4x36x54BK	FP3x4x36x72BK
8" Height	FP3x8x36x18BK	FP3x8x36x36BK	FP3x8x36x54BK	FP3x8x36x72BK
12" Height	FP3x12x36x18BK	FP3x12x36x36BK	FP3x12x36x54BK	FP3x12x36x72BK

Custom heights up to 36" available.



FOUNDATION RAMPS

FOUNDATION Ramps create a smooth transition on and off FOUNDATION work platforms. 36" Wide ramp sections are placed at the end of the platform, locking in safely and securely. Made from heavy duty aluminum, 3 standard FOUNDATION ramps are available for platform heights from 4"-12". GripSafe Tape is available for added traction.



FEATURES

- 36" (91 cm) Wide
- 3 sizes to account for different height platforms
- Approximately 9-19 ° slope for safe transition
- Made from heavy duty aluminum
- Customized corners and sizes available

4" - 6" PLATFORM



12-19°

6" - 10" PLATFORM



9-16°

10" - 12" PLATFORM




13-17°

FOUNDATION® RAMPS


PART NUMBER	PLATFORM HEIGHT	RAMP DIMENSIONS	COLOR
F1.R4-6x36.AL	4" - 6" (10 - 15 cm)	18" x 36" (46 cm - 91 cm)	Aluminum
F1.R6-10x36.AL	6" - 10" (15 - 25 cm)	42" x 36" (107 cm - 91 cm)	Aluminum
F1.R10-12x36.AL	10" - 12" (25 - 30 cm)	42" x 36" (107 cm - 91 cm)	Aluminum

FOUNDATION RAILING SYSTEM




FOUNDATION Modular Railing is corrosion resistant galvanized steel. A simple solution that requires no welding or threading. Save time, labor, material, and handling charges associated with traditional railing. Building straight runs and turns has never been easier.


Use on solid concrete surfaces around the perimeter of our FOUNDATION platform system for added safety. Railing is available in 4 stock heights as well as custom heights. Work with a Wearwell expert to plan larger layouts.




Single Rail



Corner Post Railing Kit



Middle Post Railing Kit




End Post Railing Kit

NAME		42" Height	46" Height	50" Height	54" Height	72" Length
End Post Railing Kit	Silver	RK.EP.15x42.SV	RK.EP.15x46.SV	RK.EP.15x50.SV	RK.EP.15x54.SV	N/A
	Yellow	RK.EP.15x42.SYL	RK.EP.15x46.SYL	RK.EP.15x50.SYL	RK.EP.15x54.SYL	N/A
Middle Post Railing Kit	Silver	RK.MP.15x42.SV	RK.MP.15x46.SV	RK.MP.15x50.SV	RK.MP.15x54.SV	N/A
	Yellow	RK.MP.15x42.SYL	RK.MP.15x46.SYL	RK.MP.15x50.SYL	RK.MP.15x54.SYL	N/A
Corner Post Railing Kit	Silver	RK.CP.15x42.SV	RK.CP.15x46.SV	RK.CP.15x50.SV	RK.CP.15x54.SV	N/A
	Yellow	RK.CP.15x42.SYL	RK.CP.15x46.SYL	RK.CP.15x50.SYL	RK.CP.15x54.SYL	N/A
Single Rail	Silver	N/A	N/A	N/A	N/A	R15.Rail.72.SV
	Yellow	N/A	N/A	N/A	N/A	R15.Rail.72.SYL

SKIRTS



FOUNDATION skirts prevent debris, hardware, and other items from collecting underneath FOUNDATION work platforms. These skirts also hide cords, cables, or other components for a clean, professional aesthetic.



5"-16" End Skirts



18"-72" Beam Skirts

FOUNDATION® Skirts		
PART NUMBER	DIMENSIONS	COLOR
F1.SB316x5 -16x18BK	16" x 18" (41cm x 46cm)	Black
F1.SB316x5 -16x36BK	16" x 36" (41cm x 92 cm)	Black
F1.SB25x5 -16x54BK	16" x 54" (41cm x 137cm)	Black
F1.SB25x5 -16x72BK	16" x 72"(41cm x 183cm)	Black
F1.SE316x5 -16x18BK	16" x 18" (41cm x 46cm)	Black

ADD-ONS (SOLD SEPARATELY)

ANTI-FATIGUE MATTING



Colors Available




Designed to be used on FOUNDATION Smooth Tiles, Diamond-Plate WOW! matting is the ultimate anti-fatigue solution. Elevate your team while keeping them in top-condition. Diamond-plate matting is designed for comfort and optimized for productivity. These mats are exceedingly popular and have industrial strength for multiple shift operations. The high performance Nitricell sponge base is a Nitrile composite for exceptional comfort, rebound and long life.

- NFSI Certified, tough abrasion and chemical resistant PVC surface
- Diamond-Plate pattern for improved traction
- Adheres to concrete, tile and vinyl
- Choose from 9/16" (815) or 15/16" (814) thickness
- Available in any length or width

Diamond-Plate WOW! Stay-Put Mats

PART NUMBER	THICKNESS	DIMENSIONS	COLOR
815.916x2x3BK	9/16"	2" x 3" (5cm x 8cm)	Black
815.916x3x5BK	9/16"	3" x 5" (8cm x 13 cm)	Black
815.916x3x75BK	9/16"	3" x 7" (8cm x 18cm)	Black

ENHANCED RAMP TRACTION



GripSafe Reflective Tape

PART NUMBER	DIMENSIONS	COLOR
050.4x45YL	4" x 45' (10cm x 13m)	Yellow

PLATFORM KIT ACCESSORIES (SOLD SEPARATELY)

4" PLATFORM ACCESSORIES

Anchor Kit (4" Platforms Only)- F1.Beam.Anchor.Kit



For use with 4" (10 cm) high FOUNDATION Platform Kits, these corrosion resistant anchor kits secure the platform to concrete floors. Following the assembly of the 4" (10 cm) platform, use 1 kit for each row of beams. Each kit contains 2 plates and 2 concrete screws.

5"-12" PLATFORM ACCESSORIES

Anchor Screws - F1.LCB.Anchor



For use with 5" (12.7 cm) and higher FOUNDATION Platform Kits, these corrosion resistant 3.25" (8.26 cm) concrete anchor screws keep platforms firmly in place. Prior to installing the tiles, use a 3/16" (5mm) bit to drill 2" (5 cm) deep and secure 1 screw (bag of 10) into each leg cross brace.

EDGE CUSTOMIZATION ACCESSORIES

Yellow Paint - F1.Paint.YL




Clearly identify edges and pathways by using this durable yellow spray paint. Our unique formula adheres to all components of the FOUNDATION modular platform system.

PLATFORM KIT ACCESSORIES (SOLD SEPARATELY)

4" PLATFORM ACCESSORIES

Beam Join Kit(4" Platforms Only) - F1.Beam.Join.Kit



For use with the 4" (10 cm) high FOUNDATION modular platform system, these beam join kits connect assembled sections end-to-end to form desired length. Each kit contains 2 connector plates and 4 self-tapping screws.

5"-12" PLATFORM ACCESSORIES

Rubber Feet - F1.F



TOP


HIGH-TRACTION BOTTOM



Rubber feet reduce the movement of FOUNDATION platforms that are 12 feet (3.66 m) and under. Simply slide the leg cross brace up and place a foot on the bottom of each leg. (For use on FOUNDATION platform 5" or higher.) Each rubber foot is sold individually.

EDGE CUSTOMIZATION ACCESSORIES

Toe Plate - F1.TPlate




For use with the FOUNDATION modular platform system, these rigid HDPE toe plates keep objects from falling from the edge of the platform surface. Choose 6' (1.8 m) side plates or 38" (97 cm) end plates.

End Toe Plate	F1.TPlate.E.WH
Side Toe Plate	F1.TPlate.B.WH

NOT SURE WHERE TO START?



LET US HELP YOU PLAN YOUR PLATFORM!



Planning and purchasing your FOUNDATION platform has never been easier! Simply download the planning sheet, answer a few questions and email it to us.

We'll take it from there!

VISIT WEARWELL.COM/FOUNDATION



WEARWELL®

For more information on FOUNDATION™ by Wearwell, check out our website @ Wearwell.com or call 800.264.3030 to place your order

OFFICES

Wearwell, LLC (Headquarters)
Phone: 615.254.8381
or 1.800.264.3030
info@wearwell.com

Wearwell Europe LTD
Phone: 44 1525 307271
info@wearwell-europe.co.uk

WEBSITES

US
wearwell.com
MEXICO
wearwell.com/mx
CANADA
wearwell.com/ca

UK & IRELAND
wearwell.com/uk
FRANCE
wearwell.com/fr
GERMANY
wearwell.com/de